

## Technical Specifications

CENTRO

DIMENSIONS (mm)	
Length	5890
Width	2130
Height	2785 (2750 opt.)
Interior Height	Min: 1920 Max: 2200
Front Track Width	1744
Rear Track Width	1663
Wheelbase	3100
Front Overhang	1175
Rear Overhang	1615
Step Height	375 (340 opt.)
SEATING CAPACITY	
Sitting + Standing	14 + 8 /16 + 6 /11 + 11
Sitting + Standing +Wheelchair	11 + 10 + 1
ENGINE	
Type	Common Rail, Turbo Intercooler Euro 4
Number of cylinders	4
Displacement (cc)	2.998
Maximum Rating	146 PS (107 kw) @ 3.500 rpm
Maximum Torque	350 Nm @ 1400-2800 rpm
PERFORMANCE	
Max. Speed (km/h)	100
Gradability	35%
Turning Radius (mm)	5500
GEAR BOX	
Type	Fully Synchronized
Number of Gears	5 forward, 1 reverse
Differential Ratio	3,15

# Otokar

<b>SÜSPENSION</b>	
Front	Air Suspension 2 Air Bellows, 2 Hydraulic Shock Absorbers, 2 Leveling Sensor
Rear	Rigid Axle 2 Air Bellows, 2 Hydraulic Shock Absorbers, 1 Leveling Sensor
<b>CLUTCH</b>	Hydraulic assisted, single plate
<b>BRAKES</b>	
Front / Rear	Air Assisted Hydraulic
<b>AXLES</b>	
Front Axle Capacity	2300 kg
Rear Axle Capacity	4000 kg
Curb Weight	3752 - 3905
Gross Vehicle Weight	5800 kg
<b>ELECTRICAL</b>	
System Voltage	12 V
Alternator	12 V - 140 A
Starter	12 V - 2,3 kw
<b>OTHER SPECIFICATIONS</b>	
Tyres	205/75 R16 C Tubeless 6 + 1
Fuel Tank Capacity	105 lt.
Chassis	Monocoque
<b>STANDARD ACCESSORIES</b>	
	ABS
	Kneeling
	Disabled ramp
	A/C, roof mounted
	A/C, nozzle for driver
	Air assisted driver seat
	Power heated rear view mirrors
	Electrically operated driver window
	Front heater in the driver compartment
	Front fog lamps
	Front sun visor

# Otokar

	Digital clock
	Roof hatch
	Fire extinguisher (1 × 1 kg)
	Locked driver luggage
	Continuous illumination on ceiling
	Radio/CD/MP3 player
	2 speakers
	Stop buttons for passengers
	Illuminated STOP sign
	1/3 sliding windows
<b>OPTIONS</b>	
	LCD advertising board

Technical features contain nominal data. These technical specifications may vary according to the vehicle specification and equipment. Otokar reserves the right to modify the specifications and equipment of vehicles beforehand. The details of the specifications and equipment may change according to the local needs and conditions.